

INT-TX Integrus

www.boschsecurity.com.cn



u 4 8 16 32
 u DCN CCS 900
 u
 u /

Integrus



-
-
- /
-
-
-
-
-
- /
- DCN
- DCN
- 19 (2U)
-

- 2 x 16 LCD
- /
-



-
- H 15
- LBB 3422/20
- 4 8 16 32
- 2 XLR

- 1
- 3.5 0.14

- 1 BNC HF
- 6 BNC HF 30
- 2 DCN *

* LBB 4416/xx





INT-TX04 4
Integrus 4
INT-TX04

INT-TX08 8
Integrus 8
INT-TX08

INT-TX16 16
Integrus 16
INT-TX16

INT-TX32 32
Integrus 32
INT-TX32

INT-TX04-US 4 (US)
Integrus 4
INT-TX04-US

INT-TX08-US 8 (US)
Integrus 8
INT-TX08-US

INT-TX16-US 16 (US)
Integrus 16
INT-TX16-US

INT-TX32-US 32 (US)
Integrus 32
INT-TX32-US

LBB 3422/20
CCS 900 Integrus
LBB 3222/04 6
LBB3422/20



333
: 200335
: +86 21 22181111
: +86 21 22182388
www.boschsecurity.com.cn

11 5
506-509
: +852 2635 2815
: +852 2648 7986
www.boschsecurity.com.cn