





ULX-D™



ULX-D



15

12



Workbench™ 6

Dante™

Wireless

ULX-D



ULX-D



ULX-D

(AES) 256



ULX-D

ULX-D™

ULXD4



ULXD4D



ULXD4Q



24- /48x
 20 _ 20x
 120
 60
 72 _
 8 _

8 _

23

63

A 256

_ _ x _ 16

A 600 A _

A_ / _ _

1 ,

120

A 256

900

11

200

2 AA

11

100

_58




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



8MHz 63



Dante IP

- Dante
- Dante
- ULXD4D ULXD4Q



ULX-D

- ULXD4D ULXD4Q

	470	932	_
	>70		
	<2.9		
	-98	_	10 ⁻⁵
		100	
	20	-	20κ
		>120	A
@ +10		130	A
	<0.1%		
12	@ +10		
	-18	(0) - 50	(122)



	4	171	197	42	
	4	4	482	274	44
	4	0.9			
	4	3.36			
	4	3.45			
	4	15	@ 0.6 A		
	4	100 - 240	A	50-60	0.26 A
	4	100 - 240	A	50-60	0.32 A
	-18	+42	1		
		6.35	+12	4	
			+18		-12
	4		10/100	_	_
	4	4	1		
	4				
	4	4			

	1	86	66	23		
	2	256	51			
	1	142				
	2	340				
@ 10 mW		900		11		
	2	AA		11		
	1	_	, 10	_	, 20	_
	1					
	2					
	1					
	2					