





ULX-D™

ULX-D



ULX-D



ULX-D



15 12



ULX-D (AES) 256



Workbench™ 6

Dante™

Wireless



ULX-D

ULX-D™

ULXD4



ULXD4D



ULXD4Q



24-1/48

20 20

120

60

72

8

8

23

63

A 256

6

A 600 A

A /

1

1

120 

A 256

900 

11

2 AA 

200 

11

100

58




ULX-D™



1mW

- 8MHz
- 125 kHz
- 30 100

63 ULX-D



Dante IP

- Dante
 - Dante
 - ULXD4D ULXD4Q
- ULX-D



" " —

- ULXD4D ULXD4Q
- ULX-D

470 932
>70
<2.9
-98 10 ⁻⁵
100
20 -20
@ +10 >120 A 130 A
12 @ +10 <0.1%
-18 (0) -50 (122)



4 171 197 42
4 4 482 274 44
4 0.9
4 3.36
4 3.45
4 15 @ 0.6 A
4 100 -240 A 50-60 0.26 A
4 100 -240 A 50-60 0.32 A
-18 +42 1
6.35 +12 4
+18 -12
4 10/100 1
4 4
4 4

1 86 66 23
2 256 51
1 142
2 340
@ 10 mW 900 11
2 AA 11
1 , 10 , 20
1
2
1
2